

VISUAL APPROACH
CHART - ICAO
TRANSITION LEVEL By ATC
TRANSITION ALTITUDE 5000

AERODROME ELEV 33
HEIGHTS RELATED TO
THR RWY 01-ELEV 33
THR RWY 19-ELEV 33

INFORMATION 118.350
ATIS 127.800
TOWER 118.300
APPROACH 124.300

**PALANGA / INTL
LITHUANIA
RWY 01/19**



Changes: new obstacles 467; BRG to Butingė, Darbenai, date of VAR.

VISUAL CIRCLING
APPROACH CHART


TRANSITION ALT 5000

AERODROME ELEV 33

HEIGHTS RELATED TO
THR RWY 01-ELEV 33
THR RWY 19-ELEV 33

INFORMATION 118.350
ATIS 127.800
TOWER 118.300
APPROACH 124.300


PALANGA / INTL
LITHUANIA
RWY 01/19



CIRCLING	A	B	C	D
OCA(H)	466 (433)	751 (718)	880 (847)	not authorized

SCALE 1 : 200 000






AERODROME GROUND MOVEMENT
AND PARKING CHART - ICAO

AD ELEV 33'
HEIGHTS RELATED
TO AD ELEV

ATIS TOWER	127.800 118.300
---------------	--------------------

PALANGA / International
LITHUANIA

ANNUAL RATE OF CHANGE 8"E
VAR 4°E (2007)



Not to scale

PARKING POSITION STRENGTH:	
1-5	-PCN 20 / F / B / X / T
6-11	-PCN 29 / F / B / X / T
12,13	-PCN 70 / R / A / W / U
14-18	-PCN 20 / F / B / X / U

COORDINATES FOR AIRCRAFT STANDS (WGS-84)	
1	- 55 58 19.70N 021 05 46.90E
2	- 55 58 19.01N 021 05 46.58E
3	- 55 58 18.32N 021 05 46.27E
4	- 55 58 17.64N 021 05 45.97E
5	- 55 58 16.95N 021 05 45.65E
6	- 55 58 14.73N 021 05 45.89E
7	- 55 58 13.40N 021 05 45.16E
8	- 55 58 12.01N 021 05 44.37E
9	- 55 58 10.62N 021 05 43.62E
10	- 55 58 09.23N 021 05 42.84E
11	- 55 58 07.84N 021 05 42.05E
12	- 55 58 06.43N 021 05 41.28E
13	- 55 58 04.87N 021 05 40.40E
14	- 55 58 20.30N 021 05 47.22E
15	- 55 58 21.00N 021 05 47.52E
16	- 55 58 21.69N 021 05 47.83E
17	- 55 58 22.38N 021 05 48.13E
18	- 55 58 23.07N 021 05 48.43E

TAXIWAY A	
WIDTH:	23m
SURFACE:	asphalt-concrete
STRENGTH:	PCN 39 F / B / W / T

Changes: New stands 14-18 added.